

H 33

H 38

Get Organized!


The Premier Collection Includes:

- Instrument Storage Cabinets
- Mobile Instrument Storage Racks
- Wardrobe Storage
- Sheet Music Storage
- General Storage
- Storage Solutions for Over 75 Different Instruments

SHEET INDEX

Specifications / Ordering Details	3
Construction Details	4
Compartment Size Details	5 - 7
Instrument Storage	8-12
General Storage	13
Wardrobe Storage	14
Folio Storage	15
Mobile Racks	17
Accessories	18
Music Casework Specifications	19 - 25

SPECIFICATION DETAILS



5-Full Height P-lam Door


CABINET DOOR OPTIONS (Specify When Ordering)

3-Individual P-lam Doors

4-Full Height Wire Door

1-Open

CONSTRUCTION DETAILS



.018 PVC EDGING

3/4" TOP

Thermally fused laminate panel doweled into sides.

3/4" NAILER

Thermally fused laminate panel doweled into sides, top, and bottom.

1" THICK LAMINATED POLYPROPYLENE SHELF

Polypropylene top surface for durability with 3mm high impact PVC edging. Shelves are doweled into cabinet sides. Colors: white or black.

INTERIOR COLORS: Black, White, Gray, or Maple

1/2" BACK

Thermally fused laminate panel trapped into grooves on all four edges.

HIGH IMPACT 3MM PVC EDGING

Color through edging to match exterior laminate selection.

5 KNUCKLE INSTITUTIONAL HINGES

Heavy duty institutional grade 1 hinges, through bolted to cabinet sides.

PADLOCK HASP

Self latching hasp. Padlocks by others.

LABEL HOLDER

Fits 1.38" x 2.83" label stock.


3/4" SIDES

Full height industrial grade particleboard panel with a thermally fused laminate surface that transfers the entire load of the cabinet to the floor for maximum weight capacity.

HEAVY DUTY WIRE DOORS

One piece assembly with hinges, label holder, and strike welded together. Doorframe wire is 5/16" diameter and vertical door wire is 3/16" diameter. Powder coat finish available in powder chrome, black, or white.

INTEGRAL KICK BASE Base covering by others.



HIGH IMPACT 3MM PVC EDGING

5 KNUCKLE INSTITUTIONAL HINGES

COMPARTMENT SIZE DETAILS

Compartment Type	18-5/8" Deep (21" Deep Cabinet)	28-5/8" Deep (31" Deep Cabinet)	38-5/8" Deep (41" Deep Cabinet)
A1 5-13/16"w x 14-7/8"h	B-Flat Clarinet, E-Flat Clarinet, Flute, Oboe, Piccolo	B-Flat Clarinet, E-Flat Clarinet, Flute, Oboe, Piccolo	B-Flat Clarinet, E-Flat Clarinet, Flute, Oboe, Piccolo
B1 8"w x 14-7/8"h	B-Flat Clarinet, E-Flat Clarinet, Flute, Oboe, Piccolo, Soprano Sax (curved)	Alto Clarinet, Alto Sax, B-Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Piccolo, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Sax, Bass Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Piccolo, Soprano Sax, Trumpet, Viola, Violin
B2 8"w x 25-1/2"h	Alto Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Piccolo, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Horn, Alto Sax, B- Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Piccolo, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Horn, Alto Sax, Bass Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Orchestra Bells, Piccolo, Soprano Sax, Trumpet, Viola, Violin
B3 8"w x 38-7/8"h	Alto Clarinet, Alto Horn, Alto Sax, Bass Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, flute, Oboe, Piccolo, Soprano Sax, Trumpet, Viola, Violin	Alto Clarinet, Alto Horn, Alto Sax, B- Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Orchestra Bells, Piccolo, Soprano Sax, Trumpet, Viola, Violin	Alto Clarinet, Alto Horn, Alto Sax, Bass Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, Flute, Oboe, Orchestra Bells, Piccolo, Soprano Sax, Trumpet, Viola, Violin
B5 8"w x 62-3/4"h	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar
B6 8"w x 78-3/4"h"	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar, Flags	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar, Flags	Contrabass Clarinet, Contrabass Clarinet, Electric Guitar, Electric Bass Guitar, Flags
B8 8"w x 47-3/4"h"	Bass Clarinet, Contrabass Clarinet, Electric Guitar, Orchestra Bells, Viola, Violin	Bass Clarinet, Contrabass Clarinet, Electric Guitar, Orchestra Bells, Viola, Violin	Bass Clarinet, Contrabass Clarinet, Electric Guitar, Orchestra Bells, Viola, Violin
C1 12-3/8"w x 14-7/8"h	B-Flat Clarinet, E-Flat Clarinet, Flute, Oboe, Parade Drum (13"), Piccolo, Soprano Sax (curved)	Alto Clarinet, Alto Sax, Baritone Horn, Bassoon, B- Flat Clarinet, Cornet, E- Flat Clarinet, Fluegelhorn, Flute, Marching Trombone, Oboe, Parade Drum(13"), Piccolo, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Sax, Baritone Horn, Bass Clarinet, Bassoon, B-Flat Clarinet, C Melody Sax, Cornet, E-Flat Clarinet, Fluegelhorn, Flute, Marching Trombone, Oboe, Parade Drum (13"), Piccolo, Soprano Sax, Tenor Trombone, Trumpet, Viola, Violin
C2 12-3/8"w x 25-1/2"h	Alto Clarinet, B-Flat Clarinet, Cornet, E-Flat Clarinet, Fluegelhorn, Flute, Oboe, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Horn, B-Flat Clarinet, Cornet, E-Flat Clarinet, Fluegelhorn, Flute, Kit Snare Drum, Oboe, Soprano Sax (curved), Trumpet	Alto Clarinet, Alto Horn, B-Flat Clarinet, Cornet, E-Flat Clarinet, Fluegelhorn, Flute, Kit Snare Drum, Oboe, Orchestra Bells, Soprano Sax (curved), Tenor Sax, Timbale, Trumpet
C3 12-3/8"w x 38-7/8"h	Alto Clarinet, Alto Horn, Alto Sax, Baritone Horn, Bass Clarinet, Bassoon, C Melody Sax, Soprano Sax, Tenor Sax, Viola, Violin	Alto Clarinet, Alto Horn, Alto Sax, Baritone Horn, Bass Clarinet, Bassoon, C Melody Sax, Orchestra Bells, Soprano Sax, Tenor Sax, Timbale, Viola, Violin	Alto Clarinet, Alto Horn, Alto Sax, Baritone Horn, Bass Clarinet, Bassoon, C Melody Sax, Orchestra Bells, Soprano Sax, Tenor Sax, Timbale, Viola, Violin
C5 12-3/8"w x 62-3/4"h	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar

COMPARTMENT SIZE DETAILS

Compartment	18-5/8" Deep	28-5/8" Deep	38-5/8" Deep
Туре	(21" Deep Cabinet)	(31" Deep Cabinet)	(41" Deep Cabinet)
C6 12-3/8"w x 78-3/4"h	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar, Flags	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar, Flags	Acoustic Guitar, Bass Sax, Contra- Alto Clarinet, Contrabass Clarinet, Contrabassoon, Electric Bass Guitar, Electric Guitar, Flags
D2 16-3/4"w x 25-1/2"h	Fluegelhorn, Marching Snare Drum (14" or smaller), Mellophone, Parade Drum (14" or smaller), Tom (12" or smaller)	Floor Tom (16" or smaller), Fluegelhorn, French Horn, Kit Snare Drum, Marching Snare Drum (14" or smaller), Mellophone, Tom(15" or smaller)	Bass Trombone, Euphonium, Marching Trio, Mellophonium, Tenor Trombone, Timbale
D5 16-3/4"w x 62-3/4"h	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Marching Quad, Marching Trio, Timbale	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Marching Quad, Marching Trio, Timbale
D6 16-3/4"w x 78-3/4"h"	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Flags	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Marching Quad, Marching Trio, Timbale, Flags	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Marching Quad, Marching Trio, Timbale, Flags
E2 15-15/16"w x 25-1/2"h	Floor Tom (14" or smaller), Marching Bass Drum (16" or smaller), Marching Snare Drum (14" or smaller), Mellophone, Parade Drum (14" or smaller), Tom (12" or smaller)	Field Drum, Floor Tom (16" or smaller), French Horn, Marching Bass Drum (20" or smaller), Mellophone, Tom (18" or smaller)	Bass Trombone, Euphonium, Marching Trio, Mellophonium
E3 15-15/16"w x 38-7/8"h	Floor Tom (14" or smaller), Marching Bass Drum (16" or smaller), Marching Snare Drum (14" or smaller), Mellophone, Mellophonium, Parade Drum (14" or smaller), Tom (12" or smaller)	Euphonium, Field Drum, Floor Tom (16" or smaller), French Horn, Marching Bass Drum (24" or smaller), Marching Trio, Mellophone, Tom (18" or smaller)	Bass Trombone, Euphonium, Marching Bass Drum (28" or smaller), Marching Trio, Mellophonium
E4 15-15/16"w x 52-1/8"h	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Contra-Alto Clarinet	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Contra-Alto Clarinet	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Contra-Alto Clarinet
E5 15-15/16"w x 62-3/4"h	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Contrabassoon	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Contrabassoon, Marching Quad, Marching Trio, Timbale	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Contrabassoon, Marching Quad, Marching Trio, Timbale
E6 15-15/16"w x 78-3/4"h	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Flags	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Marching Quad, Marching Trio, Timbale, Flags	Baritone Sax, Bass Clarinet, Bass Sax, C Melody Sax, Cello 4/4, Contra- Alto Clarinet, Double Bass 3/4, Marching Quad, Marching Trio, Timbale, Flags
E7 15-15/16"w x 30-7/8"h	Floor Tom (14" or smaller), Marching Bass Drum (16" or smaller), Marching Snare Drum (14" or smaller), Mellophone	Field Drum, Floor Tom (16" or smaller), French Horn, Marching Bass Drum (24" or smaller), Mellophone, Tom (18" or smaller)	Euphonium, Field Drum, Floor Tom (16" or smaller), French Horn, Marching Bass Drum (26" or smaller), Marching Trio, Mellophone, Tom (18" or smaller)
F1 25-1/2"w x 14-7/8"h	Fluegelhorn, Marching Snare Drum (13" or smaller), Mellophone, Parade Drum (14" or smaller), Tom (12" or smaller)	Baritone Horn, Fluegelhorn, Kit Snare Drum, Marching Trombone, Mellophone	Bass Clarinet, Marching Trio, Mellophonium, Orchestra Bells, Tenor Trombone, Timbale


COMPARTMENT SIZE DETAILS

Compartment Type	18-5/8" Deep (21" Deep Cabinet)	28-5/8" Deep (31" Deep Cabinet)	38-5/8" Deep (41" Deep Cabinet)
F2 25-1/2"w x 25-1/2"h	Field Drum, Floor Tom (16" or smaller), Fluegelhorn, Marching Bass Drum (20" or smaller), Mellophone, Tom (18" or smaller)	Bass Drum (18" or smaller), Field Drum, Floor Tom (18" or smaller), French Horn, Kit Snare Drum, Marching Bass Drum (20" or smaller), Tom (18" or smaller)	Bass Trombone, Euphonium, Marching Trio, Timbale, Tuba
F3 25-1/2"w x 38-7/8"h	Baritone Horn, Bass Clarinet, C Melody Sax, Euphonium, French Horn, Marching Trio, Mellophonium, Orchestra Bells, Timbale	Euphonium, French Horn, Marching Bass Drum (24" or smaller), Marching Trio, Timbale	Bass Drum (26"), Marching Bass Drum (32" or smaller)
F4 25-1/2"w x 52-1/8"h	Baritone Sax, Bass Clarinet, Bass Sax, Contra-Alto Clarinet, Marching Trio, Timbale	Marching Quad, Marching Trio, Timbale, Tuba	Marching Quad, Marching Trio, Sousaphone, Timbale, Tuba
F5 25-1/2"w x 62-3/4"h	Baritone Sax, Bass Clarinet, Bass Sax, Cello 4/4, Contra-Alto Clarinet, Contrabassoon, Marching Trio, Timbale	Marching Quad, Marching Trio, Timbale, Tuba	Marching Quad, Marching Trio, Sousaphone, Timbale, Tuba
F6 25-1/2"w x 78-3/4"h	Baritone Sax, Bass Clarinet, Bass Sax, Cello 4/4, Contra-Alto Clarinet, Contrabassoon, Marching Trio, Timbale, Flags	Marching Quad, Marching Trio, Timbale, Tuba, Flags	Double Bass 3/4, Marching Quad, Marching Trio, Sousaphone, Timbale, Tuba, Flags
F7 25-1/2"w x 30-7/8"h	Baritone Horn, Field Drum, Floor Tom (16" or smaller), Fluegelhorn, French Horn, Marching Bass Drum (20" or smaller), Mellophone, Tom (18" or smaller)	Bass Drum (22" or smaller), Field Drum, Floor Tom (18" or smaller), French Horn, Kit Snare Drum, Marching Bass Drum (24" or smaller), Tom (18" or smaller)	Bass Trombone, Euphonium, Marching Bass Drum (26" or smaller), Marching Trio, Timbale, Tuba
G2 46-1/2"w x 25-1/2"h	Acoustic Guitar, Baritone Sax, Bass Clarinet, Bass Sax, Bass Trombone, C Melody Sax, Contra-Alto Clarinet, Contrabass Clarinet, Electric Guitar, Euphonium, French Horn, Marching Trio, Mellophonium, Orchestra Bells, Tenor Sax, Tenor Trombone, Timbale	Bass Drum (24" or smaller), Euphonium, French Horn, Marching Bass Drum (24" or smaller), Marching Trio, Orchestra Bells, Timbale, Tuba	Bass Drum (26" or smaller), Marching Bass Drum (32" or smaller), Sousaphone
G3 46-1/2"w x 38-7/8"h	Marching Bass Drum (28" or smaller)	Bass Drum (26" or smaller), Marching Bass Drum (32" or smaller), Sousaphone	Bass Drum (26" or smaller), Marching Bass Drum (32" or smaller), Sousaphone
G6 46-1/2"w x 78-3/4"h	Marching Quad, Flags	Double Bass 3/4, Flags	Double Bass 3/4, Flags
G7 46-1/2"w x 30-7/8"h	Marching Bass Drum (28" or smaller)	Bass Drum (26" or smaller), Marching Bass Drum (30" or smaller)	Bass Drum (26" or smaller), Marching Bass Drum (30" or smaller)

Premier Collection



HEIGHT DEPTH WIDTH	P1 84-1/2" 21", 31", 41"
7-5/16"	5-A1 Comp.
9-1/2"	5-B1 Comp.
13-7/8"	5-C1 Comp.
20-7/16	5-E1 Comp.
27"	5-F1 Comp.




P2 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

13-7/8" 10-A1 Comp.

18-1/4" 10-B1 Comp.

27" 10-C1 Comp.



P3 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

20-7/16" 15-A1 Comp.

27" 15-B1 Comp.



P4 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

27" 20-A1 Comp.



	P5
Height Depth Width	84-1/2" 21", 31", 41"
9-1/2"	3-B1 Comp. 1-B2 Comp.
13-7/8"	3-C1 Comp. 1-C2 Comp.
20-7/16"	3-E1 Comp. 1-E2 Comp.
27"	3-F1 Comp. 1-F2 Comp.




 HEIGHT DEPTH
 P6 84-1/2" 21", 31", 41"

 13-7/8"
 6-A1 Comp. 1-C2 Comp.

 18-1/4"
 6-B1 Comp. 1-D2 Comp.

 27"
 6-C1 Comp. 1-F2 Comp.



P7 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

20-7/16" 9-A1 Comp. 1-E2 Comp.

27" 9-B1 Comp. 1-F2 Comp.



P8 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

6-A1 Comp. 3-C1 Comp. 1-F2 Comp.

27"



P9 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

27"


12-A1 Comp.


12-A1 Comp. 1-F2 Comp.



P10 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

18-1/4"	6-B1 Comp. 2-B2 Comp.
27"	6-C1 Comp. 2-C2 Comp.





P31 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH	P32 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH	P33 HEIGHT 84-1/2" DEPTH 41" WIDTH	P34 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH
39" 2-K3 Comp.	39" 3-K2 Comp.	39" 1-K6 Comp.	48" 1-G6 Comp. Adj. Shelf
48" 2-G3 Comp.	48" 3-G2 Comp.	48" 1-G6 Comp.	60" 1-H6 Comp. Adj. Shelf

Premier Collection



	P50
Height Depth Width	68-9/16" 21", 31", 41"
7-5/16"	4-A1 Comp.
9-1/2"	4-B1 Comp.
13-7/8"	4-C1 Comp.
20-7/16	4-E1 Comp.
27"	4-F1 Comp.



P51
 68-9/16" 21", 31", 41"



27" 8-C1 Comp.



HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

P52


20-7/16" 12-A1 Comp.

27" 12-B1 Comp.



P53 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

27" 16-A1 Comp.



 P54

 HEIGHT
 68-9/16"

 DEPTH
 21", 31", 41"


 20-7/16"
 2-E2 Comp.

 27"
 2-F2 Comp.



P55 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

39" ◆ 2-K2 Comp. 48" ◆ 2-G2 Comp.



P56 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

27" 4-C1 Comp. 1-F2 Comp.



P57 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

20-7/16" 6-A1 Comp. 1-E2 Comp. 27" 6-B1 Comp.

27" 6-B1 Comp. 1-F2 Comp.



P58 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

27


8-A1 Comp.

1-F2 Comp.



P59 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH

4-A1 Comp. 27" 2-C1 Comp. 1-F2 Comp.



Not available with full height wire door.



	P90
Height Depth Width	36-11/16 21", 31", 41"
7-5/16"	🔶 2-A1 Comp.
9-1/2"	🔶 2-B1 Comp.
13-7/8"	2-C1 Comp.
20-7/16	2-E1 Comp.
27"	2-F1 Comp.



P91 HEIGHT 36-11/16 DEPTH 21", 31", 41" WIDTH



27" 4-C1 Comp.



P92 HEIGHT 36-11/16 DEPTH 21", 31", 41" WIDTH

20-7/16" 6-A1 Comp.

27" 6-B1 Comp.



P93 HEIGHT 36-11/16 DEPTH 21", 31", 41" WIDTH

8-A1 Comp.

27"




 P94

 HEIGHT 36-11/16

 DEPTH 21", 31", 41"

 20-7/16" 1-E7 Comp.

 27" 1-F7 Comp.



P95 HEIGHT 36-11/16 DEPTH 21", 31", 41" WIDTH


39" 1-K7 Comp.48" 1-G7 Comp.

Not available with full height wire door. Full height wire door option will be priced as individual wire doors.

GENERAL STORAGE



HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH 21", 31", 41" 9-1/2" Adj. Shelves
9-1/2" Adj. Shelves
13-7/8" Adj. Shelves
18-1/4" Adj. Shelves
20-7/16 Adj. Shelves
27" Adj. Shelves




P101 HEIGHT 84-1/2" DEPTH 21", 31", 41" WIDTH

34-5/8" 39" Adj. Shelves



48" Adj. Shelves



HEIGHT 84-1/2" DEPTH 48" WIDTH Walk-In Corner Cabinet

> 23" Deep Adj. Shelves

48"




P120 HEIGHT 68-9/16" DEPTH 21", 31", 41" WIDTH 9-1/2" Adj. Shelves 13-7/8" Adj. Shelves 18-1/4" Adj. Shelves 20-7/16 Adj. Shelves 27" Adj. Shelves

HEIGHT DEPTH WIDTH	68-9/16" 21", 31", 41"
34-5/8"	Adj. Shelves
39"	Adj. Shelves
48" 🔶	Adj. Shelves

Not available with full height wire door. Full height wire door option will be priced as individual wire doors.


WARDROBE STORAGE

Premier Collection



P300 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH

Fixed Shelf 27" 1-Rod




P301 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH



P306 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH

5-Wire Shelves 27'



P302 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH

27" 2-Rods

P307

31", 41"

5-Wire Shelves

5-Wire Shelves

5-Wire Shelves

HEIGHT 84-1/2"

DEPTH

WIDTH


34-5/8"

39"

48"



P303 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH 34-5/8 2-Rods 39" 2-Rods 48" 2-Rods



P304 HEIGHT 84-1/2" DEPTH 31", 41" WIDTH


3-Wire Shelves 27' 1-Rod



P308 HEIGHT 84-1/2" DEPTH 48" WIDTH

Walk-In Corner Cabinet

Fixed Shelf 48' 1-Rod



P309 HEIGHT 84-1/2" **DEPTH** 48' WIDTH

Walk-In Corner Cabinet

48" 2-Rods



P305

3-Wire Shelves

3-Wire Shelves

1-Rod 3-Wire Shelves

1-Rod

1-Rod

HEIGHT 84-1/2"

DEPTH 31", 41"

WIDTH

34-5/8"

39"

48"

P310 HEIGHT 84-1/2" DEPTH 48" WIDTH Walk-In Corner Cabinet

3-Wire Shelves 48" 1-Rod



HEIGHT 84-1/2" DEPTH 48" WIDTH

48" 5-Wire Shelves


P311





14

Folio Storage



y y y y

 P202

 HEIGHT
 53-1/4"

 DEPTH
 23"

 WIDTH
 32-1/4"

76 Spaces @ 1" Centers

Mobile Folio Storage

- ♦ 1/8" Tempered Hardboard Adjustable Shelves
- ♦ 1" Centers—Adjustable @ 1/2" Centers
- ♦ Shelf Size: 14-1/2"w x 14"d
- Holds Choral and Band Folders up to 12" x 14"
- ♦ 4" Swivel Casters-2 with Locking Brake
- Available Open or with P-lam Doors



 P203


 HEIGHT
 53-1/4"


 DEPTH
 23"

 WIDTH
 47-1/2"

132 Spaces @ 1" Centers

Folio Storage







- 2-Fixed Shelves.
- ♦ 4-Adjustable Shelves.
- ♦ 6-12"d x 10-1/2"h x 34-1/2"w spaces when shelves are equally spaced. Shelves are 1" White TFL with 3mm PVC edging.
- ♦ 36-adjustable record dividers.

 P210


 HEIGHT
 84-1/2"


 DEPTH
 44"

 WIDTH
 16", 19"

P210P Finished End Panel

HEIGHT84-1/2"DEPTH44"WIDTH3/4"





 P211

 HEIGHT
 94"

 DEPTH
 44"

 WIDTH
 16", 19"

P211P Finished End Panel

 HEIGHT
 94"

 DEPTH
 44"

 WIDTH
 3/4"

High Density Music Storage

- ♦ 3-Fixed Shelves.
- ♦ 4—Adjustable Shelves.
- ♦ 7—12"d x 10-1/2"h x 34-1/2"w spaces when shelves are equally spaced. Shelves are 1" White TFL with 3mm PVC edging.
- 42-adjustable record dividers.

MOBILE INSTRUMENT RACKS



P400 HEIGHT 50" DEPTH 30" WIDTH

60" 16-Violins



P402


HEIGHT DEPTH WIDTH	60" 30"
38"	2 Dbl. Bass
56"	3 Dbl. Bass
75"	4 Dbl. Bass



P404			
HEIGHT DEPTH WIDTH	32" 30"		
52"	2 Rec. Bell Tubas		
78"	3 Rec. Bell Tubas		
102"	4 Rec. Bell Tubas		



P401			
HEIGHT DEPTH WIDTH	50" 30"		
26"	2-Cellos		
38"	3-Cellos		
50"	4-Cellos		
75"	6-Cellos		




HEIGHT DEPTH WIDTH	P403 32" 30"
52"	2 Sousaphones
78"	3 Sousaphones
102"	4 Sousaphones



75" 12-Guitars

ACCESSORIES



HEIGHT DEPTH WIDTH	96" 13/16"	
2"		Filler
3"		Filler
6"		Filler
12"		Filler
24"		Filler

SECTION 123583 – PERFORMING ARTS CASEWORK

PART 1 - GENERAL

1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 01 Specification Sections, apply to this Section.
- 1.2 SUMMARY
 - A. Section Includes:
 - 1. Plastic-laminate-clad music casework.
 - 2. Related music casework hardware and accessories.
 - B. Related Requirements:
 - 1. Section 061000 "Rough Carpentry" for wood blocking for anchoring casework.
 - 2. Section 061053 "Miscellaneous Rough Carpentry" for wood blocking for anchoring casework.
 - 3. Section 092216 "Non-Structural Metal Framing" for reinforcements in metalframed partitions for anchoring casework.
 - 4. Section 096513 "Resilient Base and Accessories" for resilient base applied to plastic-laminate-clad casework.
 - 5. Section 123623.13 "Plastic-Laminate-Clad Countertops."
 - 6. Section 123661.16 "Solid Surfacing Countertops."

1.3 DEFINITIONS

- A. Definitions in the AWI/AWMAC/WI's "Architectural Woodwork Standards" apply to the Work of this Section.
- B. TFL: Thermally Fused Laminate Panel.
- C. HPL: High-Pressure Laminate.

1.4 PREINSTALLATION MEETINGS

A. Preinstallation Conference: Conduct conference at [Project site] < Insert location>.

1.5 COORDINATION

A. Coordinate sizes and locations of framing, blocking, furring, reinforcements, and other related units of Work specified in other Sections to ensure that casework can be supported and installed as indicated.

1.6 ACTION SUBMITTALS

- A. Product Data: For each type of product.
- B. Sustainable Design Submittals:
 - 1. Product Data: For recycled content, indicating postconsumer and pre-consumer recycled content and cost.
 - 2. Product Data: For adhesives, indicating that product contains no urea formaldehyde.
 - 3. Product Certificates: For regional materials, indicating location of material manufacturer and point of extraction, harvest, or recovery for each raw material. Include distance to Project and cost for each regional material.
 - 4. Chain-of-Custody Certificates: For certified wood products. Include statement of costs.
 - 5. Chain-of-Custody Qualification Data: For manufacturer and vendor.
 - 6. Product Data: For adhesives, indicating that product contains no urea formaldehyde.
 - 7. Laboratory Test Reports: For adhesives, indicating compliance with requirements for low-emitting materials.
 - 8. Product Data: For composite wood products, indicating that product contains no urea formaldehyde.
 - 9. Laboratory Test Reports: For composite wood products, indicating compliance with requirements for low-emitting materials.
- C. Shop Drawings: For plastic-laminate-clad music casework.
 - 1. Include plans, elevations, sections, and attachments to other work including blocking and reinforcements required for installation.
 - 2. Indicate types and sizes of casework.
 - 3. Indicate Advanced Cabinet Systems catalog numbers for casework.
 - 4. Show fabrication details, including types and locations of hardware.
 - 5. Indicate locations of and clearances from adjacent walls, doors, windows, other building components, and equipment.

6. Show locations and sizes of furring, blocking, and hanging strips, including concealed blocking and reinforcement specified in other Sections.

1.7 QUALITY ASSURANCE

- A. Manufacturer Qualifications: A qualified manufacturer that is certified for chain of custody by an FSC-accredited certification body.
- B. Installer Qualifications: An authorized representative who is trained and approved by Advanced Cabinet Systems.

1.8 DELIVERY, STORAGE, AND HANDLING

A. Protect finished surfaces during handling and installation with protective covering of polyethylene film or other suitable material.

1.9 FIELD CONDITIONS

- A. Environmental Limitations: Do not deliver or install casework until building is enclosed, wet-work is complete, and HVAC system is operating and maintaining temperature and relative humidity at levels planned for building occupants during remainder of construction period. [Maintain temperature and relative humidity during remainder of construction period in range recommended for Project location by the AWI/AWMAC/WI's "Architectural Woodwork Standards."]
- B. Established Field Dimensions: Where casework is indicated to fit to other construction, establish dimensions for areas where casework is to fit. Provide an allowance to include fillers for trimming at site, and coordinate construction to ensure that actual dimensions correspond to established dimensions.
- C. Field Measurements: Where casework is indicated to fit to existing construction, verify dimensions of existing construction by field measurements before fabrication and indicate measurements on Shop Drawings. Provide fillers and scribes to allow for trimming and fitting.

1.10 WARRANTY

- A. Special Manufacturer's Warranty: Advanced Cabinet Systems agrees to repair or replace components of casework that fail in materials or workmanship within specified warranty period.
 - 1. Failures include, but are not limited to, the following:



- a. Delamination of components or other failures of glue bond.
- b. Warping of components.
- c. Failure of operating hardware.
- B. Verify available warranties and warranty periods for units and components.
 - 1. Warranty Period: **[TEN]** 10 years from date of Substantial Completion.
- PART 2 PRODUCTS
- 2.1 MANUFACTURERS
 - A. Basis-of-Design Product: Subject to compliance with requirements, provide Advanced Cabinet Systems (ACS); Music Instrument Storage products; Premier Collection or equal.
 - B. Source Limitations: Obtain from single source from single manufacturer.
- 2.2 GENERAL REQUIREMENTS FOR CASEWORK
 - A. Certified Wood: Wood products shall be certified as "FSC Pure"[or "FSC Mixed Credit"] according to FSC STD-01-001 and FSC STD-40-004.
 - B. Product Designations: Drawings indicate sizes, configurations, and finish materials of manufactured plastic-laminate-clad music casework by referencing Advanced Cabinet Systems catalog numbers. Other manufacturers' casework of similar sizes and door and drawer configurations, of same finish materials, and complying with the Specifications may be considered. See Section 016000 "Product Requirements."

2.3 PLASTIC-LAMINATE-CLAD MUSIC CASEWORK

- A. Design: Frameless cabinet construction with the following door style:
 - 1. Inset with institutional five-knuckle hinges.
- B. Grain Direction for Wood-Grain Plastic Laminate:
 - 1. Doors: Vertical
 - 2. Applied End Panels: Vertical.
 - 3. Tops of Units: Side to side.
- C. Finished End Panels and Wood Doors:



- 1. Plastic-Laminate Grade: VGS.
 - a. Colors and Patterns: As selected by Architect from Advanced Cabinet Systems standard collection.
- 2. Edgebanding: 3mm PVC.
 - a. PVC Edgebanding Color: As selected by Architect from Advanced Cabinet Systems standard collection.
 - 1) PVC to be one color or pattern per laminate color.
- D. Cabinet Body:
 - 1. Thermally Fused Laminated Panels: Provide at cabinet sides, vertical dividers, tops, and backs. Colors: black, white, gray, or maple.
 - 2. Edgebanding: 3mm PVC.
- E. Horizontal Shelves:
 - 1. 1-inch (25.4 mm) thick with Polypropylene laminated surface. Colors: black or white.

2.4 CABINET HARDWARE AND ACCESSORIES

- A. Institutional Hinges: semi-concealed, five-knuckle hinges complying with ANSI/ BHMA A156.9, Grade 1, with antifriction bearings and rounded tips. Colors: Powder Coat Chrome, Powder Coat Black, Powder Coat White.
 - 1. Through bolt to cabinet sides.
- B. Wire Grill Doors: 5/16-inch (8mm) diameter wire door frame, 3/16-inch (4.8mm) diameter vertical door wire, five knuckle hinge welded to door frame, label holder welded to door frame, door strike welded to door frame.
 - 1. Doors are through bolted to cabinet sides.
 - 2. Colors: Powder Coat Chrome, Powder Coat Black, Powder Coat White.
- C. Door Strike: Powder Coat Chrome, Powder Coat Black, Powder Coat White.
- D. Door Latch: Bright Chrome Finish, automatically latches door shut when closed, lockable with padlock.
 - 1. Through bolted to cabinet sides.
- E. Label Holders: Sized to receive standard label cards approximately 1.38-inch (35-mm) x 2.83-inch (72mm).

Specifications

- 1. Provide label holders on all wire grill doors and wood doors.
- 2. Colors: Powder Coat Chrome, Powder Coat Black, Powder Coat White.
- F. Coat Rods: 1-1/16" diameter 14-gauge chrome plated steel installed in captive mounting hardware.
- G. Wire Shelving:
 - 1. Shelves: White vinyl-coated steel wire. 20-inches (508mm). deep.
 - 2. Standards: White epoxy-coated steel.
 - 3. Brackets: White epoxy-coated steel. 20-inches (508mm) deep.
- H. Shelf Supports:
 - 1. Standards: Heavy duty 12-gauge steel construction, white finish. Adjustable in 2 -inch (50.8mm)) increments.
 - 2. Brackets: Heavy duty 12-gauge steel construction, white finish.

2.5 MATERIALS

- A. Particleboard: ANSI A208.1, Grade M-2.
- B. Hardboard: ANSI A135.4, Class 1 tempered.
- C. Plastic Laminate: High-pressure decorative laminate complying with NEMA LD 3.
 - 1. Manufacturers: Subject to compliance with requirements, provide products by one of the following:
 - a. Formica Corporation.
 - b. Nevamar; a Panolam Industries International, Inc. brand.
 - c. Pionite, a Panolam Industries International, Inc. brand.
 - d. Wilsonart LLC.
 - e. <Insert manufacturer's name>.
 - 2. Source Limitations: Obtain from single source from single manufacturer.
- D. PVC Edgebanding: Rigid PVC extrusions, through color with satin finish.
- E. Thermally Fused Laminate Panels: Particleboard finished with thermally fused, melamine-impregnated decorative paper and complying with requirements of NEMA LD 3, Grade VGL, for Test Methods 3.3, 3.4, 3.6, 3.8, and 3.10.
- F. Polypropylene sheet.



G. Adhesives: Do not use adhesives that contain urea formaldehyde.

2.6 FABRICATION

- A. Plastic-Laminate-Clad Music Cabinet Construction:
 - 1. Tops and Sides of Cabinets: 3/4-inch (19-mm) particleboard core with TFL finish.
 - 2. Horizontal Dividers and Adjustable Shelves: 1-1/8-inch (19-mm-) thick particleboard core with Polypropylene surface.
 - 3. Backs of Casework: 1/2-inch (13-mm-) thick particleboard core with TFL finish, dadoed into sides, bottoms, and tops of cabinets.
 - 4. Door Fronts: 3/4-inch (19-mm) particleboard core with HPL finish.
 - 5. Applied Finished End Panels: 3/4-inch (19-mm) particleboard core with HPL finish.
- B. Filler Strips: Provide as needed to close spaces between casework and walls, ceilings, and equipment. Fabricate from same material and with same finish as casework.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Examine areas, with Installer present, for compliance with requirements for installation tolerances, location of framing and reinforcements, and other conditions affecting performance of the Work.
- B. Proceed with installation only after unsatisfactory conditions have been corrected.

3.2 INSTALLATION

- A. Grade: Install casework to comply with same quality standard grade as item to be installed.
- B. Install casework level, plumb, and true in line; shim as required using concealed shims. Where casework abuts other finished work, apply filler strips and scribe for accurate fit, with fasteners concealed where practical.
- Set cabinets straight, level, and plumb. Adjust tops within 1/16 inch (1.5 mm) of a single plane. Align similar adjoining doors and drawers to a tolerance of 1/16 inch (1.5 mm). Fasten adjacent cabinets together with joints flush, tight, and uniform.



Our Premier collection of products are engineered to last and carry a 10 year warranty, which is one of the industry's longest and most comprehensive warranties. Get organized with ACS.

